

7  
PATENT

04-21-00  
04/20/00  
jc600 U.S. PTO  
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors:  
Charles Eric Hunter, et al.

Filing Date: April 20, 2000  
(By Express Mail)

For: VIDEO DISTRIBUTION SYSTEM

Box Patent Application  
Assistant Commissioner for Patents  
Washington, D.C. 20231

jc625 U.S. PTO  
09/553524  
04/20/00

TRANSMITTAL LETTER FOR  
PATENT APPLICATION FILED UNDER  
35 USC §111 AND 37 CFR §1.53

Sir:

The above-identified patent application is being filed on behalf of the inventors, Charles Eric Hunter, et al., and the owner of the invention, World Theatre, Inc., a North Carolina corporation, under the provisions of 35 USC §111 and 37 CFR §1.53.


A Declaration and Power of Attorney from the inventors will follow.

Enclosed are:

- A. Specification and Claims (54 pages);  
B. Fourteen (14) sheets of drawings (16 figures);  
C. Form PTO/SB/05; and  
D. Return postcard to verify PTO's receipt of application.

Please direct all communications to the undersigned.

Respectfully submitted,



Richard S. Faust  
Registration No. 27,544  
Attorney for Applicants

Richard S. Faust  
8384 Six Forks Rd.  
Suite 204  
Raleigh, NC 27615  
Telephone: (919)846-4900  
Fax: (919)846-9543  
Attorney Docket No. WT-8

"Express Mail" mailing label number EH798137225  
Date of Deposit APRIL 20, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D. C. 20231.

APRIL 20, 2000

Richard S. Faust  
Reg. No. 27,544

Please type a plus sign (+) inside this box → ☒

PTO/SB/05 (12/97)  
Approved for use through 09/30/00. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

<b>UTILITY PATENT APPLICATION TRANSMITTAL</b> <small>(Only for new nonprovisional applications under 37 CFR 1.53(b))</small>	Attorney Docket No.	WT-8	Total Pages	70
	First Named Inventor or Application Identifier			
	Charles Eric Hunter, et al.			
Express Mail Label No.		EH798137225 US		

<b>APPLICATION ELEMENTS</b> <small>See MPEP chapter 600 concerning utility patent application contents.</small>	<b>ADDRESS TO:</b> Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
--	--

<p>1. <input type="checkbox"/> Fee Transmittal Form (Submit an original, and a duplicate for fee processing)</p> <p>2. <input checked="" type="checkbox"/> Specification [Total Pages <b>54</b>] (preferred arrangement set forth below)</p> <ul style="list-style-type: none"><li>- Descriptive title of the invention</li><li>- Cross References to Related Applications</li><li>- Statement Regarding Fed sponsored R &amp; D</li><li>- Reference to Microfiche Appendix</li><li>- Background of the invention</li><li>- Brief Summary of the invention</li><li>- Brief Description of the Drawings (if filed)</li><li>- Detailed Description</li><li>- Claim(s)</li><li>- Abstract of the Disclosure</li></ul> <p>3. <input checked="" type="checkbox"/> Drawing(s) (35 USC 113) [Total Sheets <b>14</b>]</p> <p>4. Oath or Declaration [Total Pages <input ]<="" p="" type="checkbox"/><ul style="list-style-type: none"><li>a. <input type="checkbox"/> Newly executed (original or copy)</li><li>b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 17 completed) [Note Box 5 below]</li><li>i. <input type="checkbox"/> <b>DELETION OF INVENTOR(S)</b> Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).</li></ul><p>5. <input type="checkbox"/> Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.</p></p>	<p>6. <input type="checkbox"/> Microfiche Computer Program (Appendix)</p> <p>7. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)</p> <ul style="list-style-type: none"><li>a. <input type="checkbox"/> Computer Readable Copy</li><li>b. <input type="checkbox"/> Paper Copy (identical to computer copy)</li><li>c. <input type="checkbox"/> Statement verifying identity of above copies</li></ul>
--	---

#### ACCOMPANYING APPLICATION PARTS

- |   |  |
|---|--|
| 8. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))                                       |  |
| 9. <input type="checkbox"/> 37 CFR 3.73(b) Statement (when there is an assignee)                                | <input type="checkbox"/> Power of Attorney       |
| 10. <input type="checkbox"/> English Translation Document (if applicable)                                       |  |
| 11. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449                                    | <input type="checkbox"/> Copies of IDS Citations |
| 12. <input type="checkbox"/> Preliminary Amendment  |  |
| 13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503)<br>(Should be specifically itemized) |  |
| 14. <input type="checkbox"/> Small Entity Statement filed in prior application, Status still proper and desired |  |
| 15. <input type="checkbox"/> Certified Copy of Priority Document(s)<br>(if foreign priority is claimed)         |  |
| 16. <input checked="" type="checkbox"/> Other: <b>Paper Entitled "Patent Application Filed Under 000"</b>       |  |

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:  
☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No: **09, 436, 281\***

#### 18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

or ☒ Correspondence address below

(Insert Customer No. or Attach bar code label here)

NAME	Richard S. Faust				
ADDRESS	8384 Six Forks Road Suite 204				
CITY	Raleigh	STATE	NC	ZIP CODE	27615
COUNTRY	USA	TELEPHONE	919 846 4900	FAX	919 846 9543

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

\* 09/476,078; 09/502,069 and 09/385,671

Inventors: Filing Date: April 20, 2000  
Charles Eric Hunter, et al. (By Express Mail)  
Attorney Docket: WT-8

## **VIDEO DISTRIBUTION SYSTEM**

### **Cross Reference to Related Application**

5 This application is a continuation in part of  
serial no. 09/385,671, filed August 27, 1999; serial no.  
09/436,281, filed November 8, 1999; serial no. 09/476,078,  
filed December 30, 1999 and serial no. 09/502,069, filed  
February 10, 2000.

### **Field of the Invention**

10 The invention relates to video distribution  
systems and, more particularly, to a system that blanket  
transmits video/audio content such as movies (for example,  
15 via satellite downlink transmission) to each customer's  
computer-based recording, storage and playback system.  
Customers preselect from a list of available movies or other  
content in advance using an interactive screen selector, and  
pay for only the video/audio content that is actually  
20 viewed.

### **Description of the Prior Art**

25 Widespread home television viewing began in  
approximately 1950 with broadcast networks transmitting  
shows on specific, prepublished schedules. This model

remained the primary model for television viewing for over thirty years.

Cable, and later direct broadcast satellite, increased the number of channels. But viewers were still subject to programming schedules.

Video cassette recorders offered the prospect of shifting viewing times, provided the end user was one of the thirty percent or less of VCR owners who learned to program their VCR's. Even among those who learned to program their VCR, time shifting via VCR remains subject to properly setting up the timer, assuring the power is in the correct state, assuring that a correct tape is in the VCR, that the tape is not full, that the tape is properly rewound, etc. Thus, for the majority of TV viewers, even at the turn of the century, the TV viewing model has scarcely changed from the mode of 1950.

Video rental stores have provided a sort of "video on demand" subject, of course, to the high cost of video cassette purchases by the rental stores, as well as the high capital outlay for real estate (land and building) and the cost of labor at the stores. Even when a title becomes available through video release, the viewer's ability to watch the show at his chosen time is subject to availability of the video at the store, round-trip transportation to the store and the inevitable problems with late returns, damaged videos, lost videos, etc.

True video-on-demand has been envisioned whereby massive video servers would be positioned in every geographic location to transfer high speed video data streams to the houses of individual viewers at any time a viewer wished to access a particular movie or other content. However, this type of video demand system, after years and billions of dollars of investment, has proven to be too complex and expensive and, therefore, has not been implemented.

A compromise on the video-on-demand concept has been proposed by Replay Networks, Inc. (USA) whereby viewers create their own "replay channels" containing content categorized by, for example, show titles, actor, movie type, etc., with such programming being recorded on hard disks at a local facility and later available for on-demand access by individual viewers. Another type of on-demand video distribution system is described in U.S. Patent No. 5,832,287, whereby video-on-demand and network programming is provided from master file and network program databases through multiple community systems, each of which may serve up to approximately one hundred homes.

Both the Replay Networks, Inc. and the '287 systems have severe limitations in terms of storage capability and customer options.

An interactive viewing system that automatically records selected programs is disclosed in U.S. Patent No. 5,805,763. However, the '763 system simply provides another

mechanism for recording television programs. This system attempts to simplify the VCR recording function, but because of its complex nature and limited benefits it has not been implemented.

5           There is an acute need in the video distribution industry for a system that will provide each individual viewer with ready access to thousands of movies titles, as well as educational programming, network programming, audio programming and the like, in a convenient low-cost manner that fully satisfies user demand, while enhancing the economic incentives of content providers to create and distribute an ever expanding offering of movies and other video/audio content.

#### 15           Summary of the Invention

20           The present invention provides a video distribution system that is beneficial to all involved parties, namely consumers, content providers and data transmission providers. In preferred embodiments, consumers are able to preselect movies for viewing from as many as one to eight thousand movies or more that are transmitted daily and as many as ten to sixty thousand movies or more transmitted monthly. Customers of the video distribution system utilize a menu driven, graphical user interface with simplified controls that provide movie selection by title, type, category (e.g., comedy new releases from major studios). Video/audio content is transmitted via direct

broadcast satellite (DBS) in an encoded VHS resolution format (or other resolution) directly to each customer's receiving dish or antenna which is linked to the customer's user station where it is stored on a DVD RAM disc in a multiple disc platter, or on a hard drive having a storage capacity of, for example, 20 gigabytes or more. The movies may then be played immediately or at any time desired by the consumer, with the consumer paying for only those movies that are viewed. The movies are encoded to prevent conversion and duplication for play on existing DVD systems. The encoding technology also prevents playback on user stations of the video distribution system in homes that are not current on payments for previous purchases. The encoding system includes a novel time-based encoding technology, and movies may be watermarked so that copies are traceable to the customer site.

The video distribution system of the present invention offers numerous advantages to consumers. For example, consumers have access to new movie releases at those times dictated by market conditions to be most favorable by the content providers and the distributors, often before the movies would be available at video rental stores. Consumers will pay for a movie only after it has been viewed, not when recorded. Thus, consumers are free to record categories or classes of movies (e.g., new releases) and later make a decision as to which movies to actually view -- paying only for those that are viewed. Consumers

may view the videos at any time without restraints related to broadcasting schedules and with no need to visit a video rental store for selection of the movie or returning the movie. There are no late fees. New movie releases will never be "sold out" as they frequently are in existing video rental stores. Another advantage to consumers is the ultimate lower cost occasioned by the system's elimination of the real estate and labor costs associated with existing video rental stores. Because literally thousands of movies are available on a daily/weekly/monthly basis, the video distribution system of the invention provides a much greater selection than any existing video rental store. The invention also provides full access to content for those who live in geographically remote and/or sparsely populated areas that may presently have little or no access to video rental stores. The invention also allows access to videos for families with young children, elderly persons and handicapped persons where theater viewing and round trips to video rental stores are inconvenient, prohibitive or expensive. Each user station utilizes high capacity storage such as DVD platters or hard drives for its read/write functions in addition to an operating system that provides greatly simplified on-screen programming. The present invention also provides the ability to update movie pricing at any time, for example on a daily, weekly or monthly basis, so that consumers can choose to view movies at times when content providers offer pricing specials or incentives.



When a movie is recorded on a disc, it can be labeled and stored for future play or recorded over (similar to a blank VCR tape). As new movies are recorded and shelved, new or previously used videos can be inserted into the platter for future recording. Video quality is improved over existing video rentals where, in most cases, available tapes have been degraded by previous play.

Content providers (e.g., major studio producers) recognize a very significant benefit in that they receive income every time a movie is played, thereby creating significant residual value for their investments. Importantly, new release movies are always available (i.e., not "sold out") during initial peak demand when pricing power is the highest. The mentioned residual value translates into increased income for the content providers because a significant portion of existing content is available for sale every day -- since thousands of movies are transmitted on a daily/weekly/monthly basis. The invention also allows content providers to change pricing at any time, e.g., daily/weekly/monthly, to optimize price vs. consumer demand. In this regard, content providers are allowed to meet consumer demand for a significant portion of the existing content inventory value every day. This provides an extremely high benefit by effectively allowing the market to clear (i.e., real demand matches supply), something that the current video distribution model (TV, movie channels, pay-per-view and video rental) do not

provide. Additionally, content providers may download preview material that is specific to user profiles.

According to the invention, content providers are confident that they can distribute their movies with extremely high security through the use of appropriate encoding technology. Preferably, the encoding includes time-based encoding technology, with new code keys for every distributed movie transmitted via phone/modem with billing queries every month. Time-based coding, in combination with a single standard proprietary operating system, allows the video distribution system operator to achieve the level of security demanded by content providers. Watermarks coded to each site may be placed in any playback signal to assure that movie copies, even those made by recording at the input to the TV or monitor can be traced to a specific site or purchase.

Transmission providers (DBS satellite system providers, in preferred embodiments) realize the advantage of a significantly increased income base for supporting their services and the utilization of lower cost, off-peak time for transmission of a significant portion of the movies, as well as opportunities to market other products and services to specific customer profiles.

In one aspect, the video distribution system of the present invention includes a data transmission system blanket transmitting a plurality of encoded movies to customer households. A user station is provided at each

customer household, the user station including means permitting the customer household to preselect desired transmitted movies for recording. A receiver and associated recording device at each customer household is provided for recording preselected movies. The recorder may be an internal or external hard drive or DVD recording device. A playback device permits each customer to play back those preselected, recorded movies that the customer desires to view. The video distribution system also includes a central controller system having a database for storing therein an address corresponding to each customer household, a communications link between each customer household and the central controller system to verify to the controller unit that a preselected, recorded movie has been played back for viewing and a billing system linked to the central controller system to bill customer households for only those preselected, recorded movies that are played back for viewing.

In another aspect, the invention may be defined as a method of distributing movies to customer households comprising the steps of blanket transmitting a plurality of movies to customer households, permitting each customer household to preselect and record desired movies, permitting each customer household to playback for viewing any preselected, recorded movie, communicating movie playback information from each customer household to a central controller, and billing customer households for only those

preselected, recorded movies that are played back for viewing.

Other embodiments allow downloading and storage of marketing material, information, transmission schedules, or even several movies that are currently in high demand.

### **Brief Description of the Drawings**

Some of the features of the invention having been stated, other features will appear as the description proceeds, when taken in connection with the accompanying drawings, in which --

Figure 1 is a schematic representation of a video distribution system of the present invention utilizing satellite downlink data transmission.

Figure 2 illustrates further details of a user station shown in Figure 1.

Figure 2A is a view of the user station of Figure 2 showing several optional features.

Figure 3 shows a hand held infrared remote control for use in association with the user station.

Figure 4 is a block diagram showing components of a representative user station of the invention.

Figures 5-7 show several screens that appear on the display when a customer reviews available movies, preselects movies for viewing and performs other associated functions using the interactive program guide.

Figure 8 illustrates a Level I time-based coding format that provides enhanced security for the transmitted programming.

Figure 9 is a block diagram showing functions of the central controller system.

Figure 10 is a block diagram of one simplified embodiment of a business model for commercializing the video distribution system of the invention.

Figure 11 is schematic representation of another satellite-based video distribution system that utilizes a relatively large hard drive as the primary data storage medium.

Figure 12 shows the operational sequence for use of the video distribution system of Figure 11.

Figure 13 shows a screen containing one example of a simple graphical user interface used by a customer to enter customer movie preference information by movie type.

Figure 14 shows a screen containing another example of a graphical user interface for entering more complex, multilevel customer preference information.

Figure 15 is a block diagram showing how customer preference information entered by customers and general population clustered preference data compiled and analyzed by the system operator are used to create customized preference-based downloading choices at the customer user stations.

Figure 16 is a flow sheet showing the procedure for promotion-based streaming of movies, for example where a movie distribution company decides to push a selected movie as a promotion.

5

### Detailed Description of the Invention

While the present invention will be described more fully hereinafter with reference to the accompanying drawings, in which aspects of the preferred manner of practicing the present invention are shown, it is to be understood at the outset of the description which follows that persons of skill in the appropriate arts may modify the invention herein described while still achieving the favorable results of this invention. Accordingly, the description which follows is to be understood as being a broad, teaching disclosure directed to persons of skill in the appropriate arts, and not as limiting upon the present invention.

10

15

20

#### The Overall Video Distribution System, Generally

Referring to Figure 1, there is shown a simple schematic of one embodiment of a video distribution system 10 of the invention. System 10 utilizes direct broadcast satellite (DBS) transmission via satellite 20 as the means for blanket transmitting encoded programming data, either in real time or in time compressed format (discussed below). The program data is received at each customer household by a

25

receiving antenna or dish 24. Dish 24 is linked to a dedicated user station 28 by a satellite receiver link 30. User station 28 is an interactive device permitting customers to preselect desired transmitted movies, record the preselected movies and play back the recorded movies on a video display device (e.g., television 32) anytime the customer wishes to view them. Station 28 communicates at appropriate times with a central controller system 36 via a phone/modem connection 38 (land, Internet or cellular). Central controller system 36 stores a discrete address (e.g., telephone number, credit card number or billing address) for each customer household and receives information via connection 38 to verify that a preselected, recorded movie has been played back for viewing. Central controller system 36 utilizes the movie playback information to bill customer households and also to credit the accounts of content providers. The satellite link (or alternatively the central controller system 36) periodically communicates with each customer household to provide information on available movies and when they will be transmitted, along with pricing information for the playback of specific movies or categories of movies. In preferred embodiments, the satellite link and phone/modem connection 38 transmit time-based code keys for the transmitted movies that form part of the security system for the video distribution system.

Figure 2 illustrates the front panel of one embodiment of user station 28. Station 28 includes a port

for the satellite receiver link 30, a phone/modem connection 38, a remote infrared sensor 44 and a DVD RAM platter 46 (e.g., a 10-disc platter) which is utilized as the write/read mechanism for recording and playback of movies or other content. User station 28 also includes a user interface comprising a power on/off switch 50, a five key program selector 54, a "Programs Recorded" key 62 and a platter out/in key 66, all of which preferably are duplicated on an infrared handheld remote 70 (Figure 3). A more detailed discussion of the use of user station 28 to review movie availability, to preselect, record and playback movies will be set forth below in the description of the viewer interface and interactive program guide.

#### The Satellite(s)

According to preferred embodiments of the present invention, data transmission is achieved utilizing geostationary satellites operating in the KU band that are downlinked to conventional receiving antennae or dishes located at the customer households, which are in turn linked to TV Receive Only (TVRO) units connected the customer user stations.

Following the recent acquisition of PrimeStar's assets by Hughes, there are now two digital broadcast satellite providers in the United States, Hughes (DSS) and EchoStar (DISH Network). EchoStar's DISH network launched an additional satellite in September 1999 (its fifth



satellite) that, in combination with its previous satellites, provides continuous transmission of greater than five hundred channels to substantially the entire continental United States. EchoStar now has satellites located in the 119, 110, 61.5 and 148 positions within the Clark Belt.

With the above satellite orientations, EchoStar's new "DISH 500" system utilizes an elliptical twenty inch antenna or dish containing two LMBS heads that can receive information from two different satellites simultaneously. As mentioned above, this system permits greater than five hundred channels to be directly broadcast to each customer household.

Currently preferred embodiments of the present invention utilize the EchoStar system, most preferably the DISH 500 system, for programming data transmission at either real time or time-compressed transmission rates, discussed below. In alternative embodiments, the invention may be implemented utilizing the Hughes (DSS) system, or a combination of both the Hughes and EchoStar systems (resulting in a relatively smaller portion of each system's total capacity being devoted to the invention's video distribution).

#### Data Transmission Parameters

EchoStar's DISH 500 system has 480 X 704 resolution, providing a very high band width of

approximately 4 megabits/sec for each channel, for a total transmission capacity of approximately 2000 megabits/sec for five hundred channels.

As mentioned above, in accordance with certain preferred embodiments of the invention the video content (e.g., movies) may be broadcast at standard VHS resolution (240 X 352) which translates into a requirement of approximately 1.3 megabits/sec per channel with MPEG II compression. Thus, the full (greater than 2000 megabits/sec) capability of the DISH 500 system translates into the capability to broadcast approximately 1,530 movies simultaneously in real time (i.e., not time compressed). At 110 minutes per movie, the full twenty-four hour capacity is approximately 20,000 movies per day, far greater than total requirements for the video distribution system of the invention.

Thus, according to this aspect of the invention, a portion of the total transmission capability of the DISH 500 system may be utilized to blanket transmit thousands of movies for preselection and recording by customers. In this regard, and as discussed in more detail in the Examples below, new release movies (e.g., the 100 most popular new release movies from major studios) may be transmitted several times per day with concentration before and during prime evening viewing periods, with a second tier of popular movies transmitted less often, but still at least daily, and third and fourth tiers of movies transmitted weekly/monthly

-- all in accordance with content listings and transmission schedules available to customers through their periodically updated electronic program guide.

It will be appreciated that instead of using more typical 120 watt DBS transponders, implementation of the present invention may be carried out with higher power transponders (e.g., 240 watt transponders) to increase the effective transponder capacity (e.g., from 23 megabits/sec to 30 megabits/sec) by reducing much of the capacity allotted for forward error correction and system management inherent in lower power transponders. Also, along with the use of higher power transponders, the invention may be carried out with quaternary (QPSK) polarization to double the effective bit transfer rate for each transponder over that which may be obtained by using current orthogonal polarization -- with a sacrifice in bit error rate that is acceptable for those applications of the invention where lower video and audio resolution is not an important consideration to the customer. Thus, the use of high power transponders (e.g., 240 watts or higher) in conjunction with higher level polarization (e.g., quaternary) permits video distribution systems of the invention to be implemented utilizing less of the DBS system's total transmission capacity, permits the transmission of a greater number of movies or other content, permits more frequent transmission of high demand (e.g., Tier 1) movies and permits greater

time compression of movies, or a combination of the above, all to the benefit of consumers.

#### User Station Details

5           Figure 4 is a block diagram showing components of a representative user station 28 of the invention. The primary controller for station 28 is a central processing unit (CPU) 80 that includes a microprocessor, a non-volatile high speed memory device containing the unit's proprietary  
10           operating system, a graphics generator, and additional peripheral devices such as a clock that are common in CPU devices.

          Encoded programming data via satellite downlink through antenna 24 is transmitted to a decoder 82. Decoder  
15           82 looks for headers indicating movies or other content that have been preselected for recording. The programming data includes video/audio content data, content availability/scheduling data and content pricing data. Decoded preselected movie data is transmitted via CPU 80 to  
20           a high speed memory buffer 84 (with or without high capacity storage capability) and then written to a DVD RAM disc 86 that is associated with the DVD RAM platter 46. In certain embodiments, the high speed memory buffer 84 may utilize a magnetic drive, a magneto-optical drive, an optical drive,  
25           or other suitable drive. Buffer 84 may utilize DRAM, flash memory, SRAM or other suitable memory such as digital tape.

As will be appreciated by those skilled in the art, in alternative embodiments the transmitted data may bypass CPU 80.

5 An internal or external modem 87 connects to a phone line that provides communication to the central controller system 36.

10 The content availability/scheduling data, content pricing data and time-based security codes B (discussed below) are transmitted at periodic intervals (e.g., every ten minutes, every hour or every day, as deemed most desirable by the video distribution system operator) and are routed from CPU 82 to RAM 88 where the information is stored and available.

15 Viewed-content information used for billing purposes, content preselection information entered by the user and time-based security key codes C (discussed below) are stored and available in SRAM 90.

20 CPU 80 directly receives manual and infrared remote operation input data. The video display device 32 receives input from the DVD RAM platter for playback of movies and receives graphics data from CPU 80 for display of the interactive program guide.

25 It is understood that important aspects of this invention may be provided by different electronics configurations such as a central server to support, and in certain cases to replace, functions carried out by the RAM, SRAM and DVD RAM shown in Figure 4. In addition, SRAM or a

suitable high speed memory drive could be used to fulfill the function provided by the RAM (shown in Figure 4). Other embodiments may include an additional disc drive in support of the system data storage and retrieval functions.

## Viewer Interface/Interactive Program Guide

The viewer interface and interactive program guide will now be described in connection with how they permit a customer to review available movies, preselect movies for recording, playback movies for viewing and perform other associated functions.

Referring to Figure 5, there is shown a representative screen 100 that is displayed on the video display device 32 when a user initiates use of the system via on/off key 50. By utilizing the four (up/down, left/right) keys of the program selector 54 and by clicking on "Programs Recorded", the user may choose to first determine the status of the multiple (e.g., ten) disc positions in the DVD RAM platter, i.e., what movies are currently recorded and stored in the DVD RAM platter at which disc positions, which disc positions contain blank discs and which disc positions have no discs. Figure 6 shows a representative screen 110 indicating the status of each disc position. Once this information is displayed, the user may elect to playback a movie that is already on the platter, remove disc(s) for storage, etc.

20

25

After, or instead of, using the "Programs Recorded" function, the user may use the "Available Movies" function to scroll down through a listing of movies in the interactive program guide that, as shown, may be based on various categories of available movies. For example, the first category of movies is new releases, which may be subdivided into, for example, comedy, action, drama, documentary, etc. After a particular category of movies is chosen (e.g., new releases/comedy) another screen 110 (Figure 7) is displayed showing the titles (in this case twenty titles) in this category. In order to preselect a title for recording, the cursor is moved to the chosen title and the middle key of program selector 54 is pressed twice, the first press showing the current playback price and changing the background color of the display (indicating "selection mode") and the second press completing the selection.

It will be appreciated that the interactive program guide may include links to a short summary of a movie being considered, critical review(s) of the movie or a brief "clip" or preview of the movie. This information may be stored in internal memory, obtained through a link to the website of the video distribution system operator or obtained by direct Internet access to the websites of film producers, movie rating services, etc. (See Figure 2A.) Other suitable means for providing movie information may also be employed.

## Program Security Utilizing Encoding Technology

As mentioned above, in certain embodiments of the invention programming security is best achieved by time-based coding, in combination with the utilization of security codes that are interlaced into the video frames.

The proprietary operating system utilizes standard interlaced encoding data that, as known in the art, prevents movies recorded by a customer at a user station from being played on other nonconforming playback devices (for example, standard DVD playback devices). In addition, recognizing the possibility of pirates utilizing data conversion technology to defeat this security technique so that bootleg copies could be run on other systems, and recognizing the prospect of recorded movies being played on user stations that are not current on payment or are otherwise unauthorized, the invention incorporates a time-based code key to assure that playback of recorded content can only occur on currently authorized user stations.

Figure 9 describes one preferred Level I time-based coding format wherein a first code key A comprises a 32-bit monthly code at the beginning of each transmitted movie. With one such code key provided for each month over an extended period of time, say 100 years, there is a total of  $12 \times 100 = 1200$  32-bit code keys A per movie.

A second code key B comprises a 32-bit code for each month chosen by the video distribution system operator



at the beginning of each month. Code keys B for all available movies are blanket transmitted to customer households each month by the data transmission means, preferably, satellite.

5 A third code key C comprises another 32-bit code for each available movie. Code keys C are delivered to each customer household by phone/modem on a monthly basis, preferably at the time of monthly billing queries from the central controller system 36 to the household. The third  
10 code keys C are provided only when the customer household is current in payments and otherwise is in good standing.

The time-based coding of Figure 9 assures that a movie will playback at a specific user station only when all three code keys A (transmitted with the movie), B (chosen  
15 and blanket transmitted monthly) and C (delivered monthly by phone modem) are present, with the user station software simply verifying that C is the correct value when a predetermined mathematical function is applied to A and B.

Level II security coding comprises a 128-bit code  
20 interlaced through every third frame of the movie. This code, in conjunction with the decoding software of the unit's proprietary operating system, is used to assure that recorded movies can be played only on stations provided to consumers by the video distribution system operator. (The  
25 players incorporated into the proprietary user stations of the video distribution system simply read and ignore Level II code.)

Thus, recorded movies may not be played back on standard DVD players. However, even if a determined pirate were to defeat the Level II code to produce a disc playable on a standard DVD player, a pirated copy would be useful only until the end of the month, due to Level I time-based coding protection, discussed above.

Optional Level III coding may be utilized to relate Level I and Level II coding in a specific location in each movie over multiple frames where the Level II code is a more complex (e.g., 1024K) program requiring completion from the time-based coding of Level I.

In addition to the security means discussed above, preferably each user station 28 must be in an enabled state. In this regard, an enabling command from central controller system 36 (via phone/modem) may be sent monthly to each customer household that is in good standing.

To deter production of copies of movies recorded at the box connections to the TV, a digital watermark identifying the purchasing customer may be placed in the movie signal. The watermark would be unnoticable to a viewer but would allow copies of the movie to be traced to the original purchase site.

As an alternative to monthly billing queries by the central controller system 36 to each customer household, monthly provision of code keys C and monthly provision of an enabling command to customer households in good standing, as described above, these functions may be carried out each

time a movie is played back for viewing via a two-way communication between central controller system 36 and the customer household. To this end, when a customer initiates playback of a movie through the interactive controls, the playback information (the identity of the movie and the identity of the customer household) is communicated to central controller system 36 by phone/modem, at which time central controller system 36 verifies good standing status for the customer household and sends back a single code key C for the specific movie and an enabling code for the user station. Utilization of this form of communication between a user station and central controller system 36 at the time of every playback offers the advantage of the video distribution system operator not having to send thousands of key codes C (for all available movies) on a monthly basis to each customer household (where the key codes C must be stored in memory) and the further advantage of assuring good standing of the customer household's account prior to each movie playback. A further advantage is that customers' accounts may be billed more currently, at the time of each playback instead of monthly.

#### Central Controller System

Referring to Figure 9, the central controller system 36 will now be discussed in more detail. As discussed above, in one preferred embodiment central controller system 36 provides the following functions:

Stores a discrete address for each customer household.

Transmits monthly billing query to each customer household to determine which preselected, recorded movies were viewed.

Sends monthly transmission of time-based security codes "C" and an enabling command to each customer household that is current in its payments and otherwise is in good standing.

Credits accounts of content providers for the use of their content through linkage to a financial network.

Debits accounts of customers for movies viewed.

#### Alternative Data Transmission Technologies

Referring to Figure 2A, several alternative data transmission technologies may be utilized in place of or in addition to direct broadcast satellite (DBS) which is discussed above.

A first option is data transmission by optical fiber employing suitable technology, preferably an optical fiber technology providing high transmission rates, for example OC3. A single OC3 optical cable transmits data at approximately 128 megabits/sec so that, at VHS resolution, it can transmit approximately sixty movies simultaneously at

real speed, or transmit one movie every two minutes at a time-compressed speed.

Other options include cable/modem transmission, Internet connection, other suitable phone connections, or the use of higher or lower frequencies than KU if licensed for satellite-based content transmission, or a combination of any of the transmission means discussed herein.

It will be appreciated that video/audio content transmitted by any of the above means, whether transmitted at real time or at a time-compressed speed, may run in series for simultaneous recording on multiple stations at a consumer household.

#### Business Models

The present invention provides significant flexibility with respect to the business model to be used to commercialize the invention. In one simplified embodiment, shown in block diagram form in Figure 10, the video distribution system operator interfaces with three parties, the data transmission provider, the content providers, and consumers. The content providers provide content to the data transmission provider which, in turn, blanket transmits the content to the consumers, preferably by direct broadcast satellite. The satellite transmission also includes content availability/scheduling data and content pricing data, updated periodically. The content providers also provide copyright license and pricing requirements to the video

distribution system operator. Both the data transmission provider and the content providers receive payments directly from the video distribution system operator. Lastly, the video distribution system operator periodically receives viewed-content information for billing, while also sending enabling commands to the consumers.

Other business models may utilize time-based security coding as discussed above. Also, the Internet may be used to provide centrally posted content availability information and permit preselection of movies for recording at the customer's household.

#### EXAMPLE I

The video distribution system of the present invention is implemented using the business model of Figure 10, the DISH 500 DBS system, and the other hardware and software systems described above and illustrated in the drawing figures.

The video/audio content provided by the video distribution system is transmitted in real time (i.e., not time-compressed -- average movie 110 minutes). The movies are blanket broadcast utilizing approximately 49% of the total capacity of the DISH 500 system, with transmission times heavily weighted for Tier 2, 3 and 4 movies to off-peak broadcast hours (e.g., 1:00 am - 8:00 am).

#### Movie "Hierarchy"

Tier 1: The current 100 new release movies from major studios.

Tier 2: The 6000 movies that are at the second level of consumer demand after the Tier 1 new release movies.

Tier 3: The 8000 movies at the third level of consumer demand.

Tier 4: 60,000 additional movies.

#### Transmission Schedule

Tier 1: Each new release movie is transmitted every day on the hour from 4:30 pm to 8:30 pm, and at several other times daily.

Tier 2: Each Tier 2 movie is transmitted once per day.

Tier 3: Each Tier 3 movie is transmitted once per week.

Tier 4: Each Tier 4 movie is transmitted once per month.

A consumer who wishes to plan ahead can easily record all new releases in the "comedy" category, for example, and have them available for viewing at his pleasure, with payment obligations arising only for those movies he actually views, when he views them. The same consumer or another consumer wishing to view a new release on the evening at which the viewing decision is made, simply preselects the movie for recording any time during the day so that it will be available during the evening viewing hours. An Internet phone/modem connection (not shown) may

be provided so that consumers may access their user stations from remote locations (e.g., from their business offices) to preselect movies for viewing that evening.

5 The term "movies" as used in connection with the Examples, and as used at other times herein, encompasses more than the term traditionally implies. The term "movies" may encompass not only motion pictures and similar content, but also certain content that appears in the lower tiers, especially Tier 4, such as classic sporting events (e.g., all Super Bowls) and popular TV series (e.g., all episodes of *Star Trek* or *Sienfeld* or *I Love Lucy*). In this regard, a customer who wishes to do so may record all episodes of *I Love Lucy* (transmitted monthly in Tier 4) on a multiple disc platter, store the discs and playback selected episodes any time he desires, paying only when he views an episode or episodes.

#### EXAMPLE II

20 The video distribution system of Example II is implemented with the same tiers of movies as Example I with the difference being that the Tier 1 movies are transmitted in compressed time format to a high speed memory buffer contained in the user station which, in turn, writes to the DVD RAM disc at its maximum write speed. This compressed time transmission (e.g., 8 to 10 minutes per movie) permits consumers to have movies, particularly Tier 1 movies, available on short notice, often in a time less than or on



the order of that time required for a round trip to a video rental store. To further facilitate this enhanced availability of movies on short notice, according to Example II Tier 1 new release movies are transmitted every 30 minutes from 5:30 pm to 8:30 pm, and at several other times daily.

#### EXAMPLE III

Same as Example II except that all movies are transmitted in compressed time format.

#### EXAMPLE IV

The video distribution system of this Example IV is implemented with the same tiers of movies as Examples I-III. According to Example IV, the recording and playback device of user station 28 comprises a magneto-optical disc recording and playback device that has the capacity to write to a magneto-optical disc at write speeds on the order of 12 megabits/sec or greater, a write speed that is approximately 8 to 10 times the data stream speed for conventional VHS resolution video/audio transmission and playback (with conventional MPEG II compression). Utilizing an approximately 12 megabit/sec write speed, and a corresponding data transmission speed via DBS or other suitable transmission means, a movie may be transmitted in time-compressed format and recorded at 8 to 10 times real

time, so that a 110 minute movie may be transmitted and recorded in approximately 11 to 14 minutes or less.

In order to provide ready consumer access to new-release movies, each of the 100 Tier 1 movies is broadcast from 6:00 p.m. to 9:00 p.m., at 15 minute intervals. Thus, during these prime time hours, a consumer may select any Tier 1 movie and have it available for viewing within 15 to 30 minutes. (With faster transmission and write speeds the Tier 1 movie availability time period may be reduced accordingly.) As with Example II, the Tier 1 movies are also transmitted at several other times daily, for example, hourly.

According to Example IV, Tier 2, 3 and 4 movies are also transmitted and written to discs in compressed time, for example, at approximately 12 megabits/sec or greater.

#### EXAMPLE V

The distribution systems described in Examples I-IV have the capability to transmit audio in compact disc (CD) quality or another form to a suitable storage medium such as read/write CD's, write only CD's, DVD RAM, magneto-optical disc, digital tape or a central server. In this Example V, the consumer may choose any music selection from up to as many as 80,000 or more titles in a tiered transmission structure similar to Examples I-IV and use less than 10% of the existing DBS transmission capacity.

With music distribution under this Example V, the system allows the user to listen to the recording (e.g., CD) several times for free before the consumer is required to permanently select the CD. Once permanently selected, the CD receives a permanent enabling code and the consumer pays a one time fee -- similar to the current one-time fee structure which is standard in the existing music distribution business model. The player then plays the CD through TV speakers or provides an audio output to an optional external audio system (Figure 2A). This music distribution model eliminates a significant portion of the labor, real estate and transportation costs inherent in the current distribution models for music, much as the novel movie distribution model described herein eliminates costs in the distribution of movies as compared to current models. The music distribution model of this Example V may utilize DBS or the alternative data transmission means described above, either alone or in combination.

#### EXAMPLE VI

The distribution system of Example IV is augmented with CD quality music transmission capability where 10,000 titles per day are transmitted at a time-compressed speed of, for example, 12 megabits/sec or greater. The music transmission of this Example VI may be carried out by utilizing additional DBS capacity, by reducing the number of Tier 2 movies transmitted daily, by reducing movie

transmission in other tiers, or by a combination of the above. As described above in connection with Example V, the customer may listen to the recording several times for free after the encoded transmission is stored (with or without the use of memory buffer 84), before the purchase selection. Once the purchase selection is made, the recording preferably is written to a conventional CD so that it may be played back on conventional home or auto playback devices. To this end, the user station 28 may include positions for holding and writing to conventional CD's -- in addition to the ability to write to another medium such as DVD RAM or magneto-optical discs used for storage of movies. In the alternative, once the recording is selected, it may be routed to the external audio system (Figure 2A) which has its own CD read/write or write only device that will permanently write the selected recording to a CD that can be held in a single, stack or platter system.

#### One Alternative User Station Configuration

Figure 11 illustrates an alternative user station configuration that is substantially similar to user station 28 of Figure 1, 2, 2A and 4, with a primary difference being the use of a large disk drive as the primary memory component. The encoded video content is scheduled and transmitted to the direct broadcast satellite up-link facility 200 by the system operator through system controller 36. In addition, periodic digital

program/pricing information is transmitted to the up-link facility, for example, every ten minutes. The digital video content and program/pricing information, once received by the appropriate satellite, are then transmitted down broadly (i.e. "blanket transmitted") to geographic coverage areas where the user stations can receive the downlink transmissions via the home user's satellite dish 24. Data is then transmitted to download module 220 contained in user station 228 where it is decoded and stored digitally in storage module 230, preferably in a large disk drive having a storage capacity of 20 gigabytes, or more. The use of a disk drive of suitable size permits the storage of up to six to twenty or more movies at one time in storage module 230. Thus, a video distribution system may be operated with customers storing and playing back movies solely by using the hard drive of storage module 230. Additionally, for those customers desiring to build a library of movies, user station 228 may include an optional recording/playback device that records movies onto, for example, a DVD RAM, and plays back these movies through the user station at any desired time, with customers paying only when they view the movies. While it is preferred that the movies in such a library remain fully encoded and encrypted for playback only on a user station in the system operator's network, user station 228 may include a CPU or CODEC capable of real-time decryption and decompression as the movie is recorded to a storage medium such as a DVD, so that such movies may be

played on a standard DVD player. The decryption/decompression process preferably processes digital watermarks in these recorded movies so that a unique customer or transaction number is hidden in the movie, thereby allowing a copy of the movie to be traced to its source. Suitable watermarking technologies are available to those skilled in the art.

The transmission of movies in compressed time format has been discussed above. This mode is particularly appropriate when larger hard drives are installed in the customer's user station. A typical VHS movie requires about 10 gigabits of storage (about 1.3 gigabytes), and an HD movie requires about 12 gigabytes of storage. Thus a 20 gigabyte hard drive could hold a dozen VHS movies or one HD movie. Typical receivers can receive a maximum of 27 megabits per second per transponder and current units can only receive one transponder at a time allowing downloading a typical 110 minute VHS movie in about eight minutes or an HD movie in about 55 minutes. Other receivers may contain multiple tuners allowing simultaneous downloading of several movies, or a movie and a CD, or several CD's while watching a live baseball game.

The sequence of operation for a customer of the system using user station 228 is summarized in Figure 12, which is large self-explanatory. The illustrated modes of operation, following account set up, are identified as:

1. Selection
2. Ordering
3. Downloading
- 5 4. Viewing
5. Billing
6. Optional "Library" Copy Delivery.

#### "On-Demand" Movies

10 As discussed above, storage module 230 of user station 228 includes a storage medium (e.g., a hard drive) that stores each movie that the customer selects until such time as the customer either deletes the recording from memory, or the recording is written over when the storage medium's capacity is reached (e.g., on a "first in, first out" basis).  
15 When the user station is provided with a storage module 230 having a substantial data storage capacity, it is possible for many movies to be immediately available to the customer for viewing. For example, a user station 28 in the form of a DBS (or cable) system "set top  
20 box" may have a disk drive with a storage capacity on the order of 20 Gigabytes or more, with most of the storage devoted to the movie storage function of storage module 230. This storage medium permits the storage of approximately six to twenty, or more, compressed movies at all times in each  
25 customer's user station. The customer, therefore, at all times has immediate on-demand access to the movies in his storage module for viewing or permanent recording on his

recorder (e.g., DVD writer). Movies on the hard drive preferably are stored in encrypted format to prevent loss.

Thus, one advantage of a large storage capacity at storage module 230 is that a customer may maintain a significant number of movies in storage for a considerable period of time before having to make a decision on whether to view (and pay for) a particular movie. However, this large storage capacity opens up other possibilities, as well. For example, according to one manner of carrying out the invention, the system operator may automatically (i.e., without requiring customer preselection) download certain very popular movies (usually very popular new releases) to every customer storage module on a periodic basis, such as one featured movie every day. At one automatically downloaded movie per day to each customer, a fifteen storage capacity and a "first in, first out" write-over protocol would permit each automatically downloaded movie to remain in storage module 230 and available for on-demand viewing for approximately two weeks, with the exact time depending upon how many customer-selected movies are downloaded during that period. Thus, over any two week period, the system operator may automatically make available (at one automatic download per day) 14 popular movies for all customers, without the customers having to preselect anything. Of course, the preselection option for all catalog movies remains available at all times. It will be appreciated that the automatic downloading of movies to all customer user



stations can be readily achieved by the system operator simply communicating (e.g., daily) to all user stations the ID header information for that day's automatically downloaded movie or movies. The user station downloads movies to the intermediate storage in storage module 230 just as if the recording had been preselected by the customer. The graphical user interface alerts the customer that the recordings are available by a cue such as "YOU'VE GOT FLICKS".

#### Using Customer Preference Information

In a more customer-specific manner of carrying out the invention, different sets of movies are automatically downloaded at customer user stations according to the movie preferences of the customer. For example, each customer may use the graphical user interface (see Figure 13) to select those movie types (e.g., romantic comedy, documentary, action) they most prefer. The system operator uses this information to tailor the automatic downloads to that customer's user station accordingly. In a simple application, the system operator may create, for example, five to ten standard customer profiles so that each customer receives automatic downloads for the one of those profiles which he most closely matches. The objective is for the storage module 230 to have available for on-demand viewing a large percentage of the movies that any particular customer may be interested in at any given time -- or at least have

those movies available to the customer over a period of time as new entries into storage overwrite older entries, recognizing that at all times the customer is free to order any music selection from the catalog.

5           As described above, the system operator may create, for example, five to ten customer profiles and assign each customer to one of these profiles according to movie preference information entered by the customer. Thereafter, the customer receives (e.g., daily) the automatically downloaded movies for his particular profile category. However, in other embodiments of the invention, customer preference information may also be used in a more sophisticated fashion to tailor the profiles to the individual tastes of a customer or the tastes of the customer household family members. To this end, the customer may use the graphical user interface (Figure 14) to enter movie preferences at a desired level of detail. As shown in Figure 14, a first level of detail is the selection of one or several types of movies (similar to the selection made in connection with Figure 13). In addition, the customer may go to a second step where each selected type of movie may be further subdivided by, for example, favorite movie star(s), top ten movies this month, etc. Other means for subdividing interest areas under a particular type of movie may be used (e.g., World War II,). However the expression of movie preferences is made, this information may be used alone, or in conjunction with other information,

to permit the customer's user station to download to memory (e.g., fifteen movie capacity) an ongoing, rolling selection of movies that will most likely match the preferences of the customer.

Referring to Figure 15, there is shown a block diagram that illustrates in schematic form the generation and use of customer preference information. Figure 11 shows portions of user station 228, namely, the download module 220 with receiver and the storage module 230 for movie storage. The optional recorder for permanently recording "library" movies (e.g., DVD burner) is also shown. As schematically shown between user station 228 and storage module 230, apparatus 310 serves to read the ID headers on all of the broadcast movies and select for downloading to module 230 only those that are indicated as being desirable to the customer by the processed movie preference information.

Figure 15 also shows portions of central controller 36 that store and analyze customer preference information and customer order information, and generate from that information the individualized "customer catalog" that determines which movies will be automatically downloaded at that customer's user station. To this end, controller 36 includes an individual customer preference information storage module 320, a general population cluster preference database 330 and a customer catalog generator module 340. Each customer's preference

information is entered in the manner described above via the graphical user interface and is communicated to module 220 by phone/modem. In addition, the preference information of the entire customer population (or some subset thereof), as well as order data, is stored in module 330. Information from modules 320 and 330 is analyzed to create an individual "customer catalog" for each customer via module 340. The individual customer catalog data is communicated to the user station in each customer household and serves to assure that those movies that best fit the preference customer profile are the ones that are downloaded to storage module 230. While a first-in, first-out protocol may be used for overwriting onto the hard drive of module 230, the customer catalog information may serve to establish a different protocol that will overwrite the less likely to be purchased movies ahead of those recordings which, by analysis at module 340, show more promise of being viewed by the customer. Certain new release movies in high demand within the customer's primary areas of interest may be designated to remain in storage for a minimum period of time, say one week, regardless of the "traffic" through storage module 230.

Along with movies, there is blanket transmission of catalogs and other advertising or customer interest information. The storage and display of this information may be based on customer profiles. For example, an advertisement for a new movie that is expected to appeal to

young adults, Julia Robert fans, and customers living in a particular geographic area would have this information contained in its header, and the receiver would recognize if any of its users are in any of these categories and will appropriately store or not store this advertisement on the hard drive, and may determine to display or not display this ad on the user's TV catalog. Similarly, advertisements for other related merchandise, like "Star Wars" paraphernalia, might also be displayed. Text describing individual movie stars or related events might also be stored with the catalog.

#### Promotion-Based Streaming

Figure 16 shows the use of promotion-based streaming to download movies at customer user stations. A content provider (e.g., movie distribution company) may decide to push a selected movie as a promotion. The system operator packages the advertisements and movie and then broadcasts them for automatic downloading by all customers or by a selected group of customers based on the broad profile information developed by the operator (Figure 15). The promotional movie is advertised to the customers through an advertisement that appears at the top of screens generated by the system, or by a flashing message such as, "YOU'VE GOT NEW FLICKS". Promotional movies are stored in storage module 230 until they are overwritten or deleted.

As with the other means of providing movies for viewing, once the customer views the movie, the billing is consolidated in the customer's monthly statement. Promotional-based streaming may be accomplished typically in a relatively short period of time using appropriate bandwidth (e.g., one quarter transponder).

In applications of the invention where both movies and music are made available to customers, promotions may include movie soundtracks for movies that are being broadcast by DBS or cable. In this situation, prior to broadcast of the movie, the soundtrack is broadcast and automatically downloaded to all user stations. When the movie is broadcast, viewers of the movie are informed that the soundtrack for the very movie they are viewing is on their hard drive and available for immediate on-demand purchase. Purchases may be made during the movie by appropriate means; for example, a translucent icon may appear on the screen and purchase made by simply clicking on the icon. Or, the purchase can simply be made at the conclusion of the movie where, preferably, viewers are reminded that the soundtrack is available on their hard drive for on-demand purchase.

Ensuring Flawless Movie Recordings Using Checksums and Multiple Downloads

Satellite receivers do not have perfect reception due to the tradeoff between electrical power and bandwidth of the satellite. Weather conditions, motion of atmosphere layers or obstructions between the dish and the satellite may interrupt the signal. A momentary loss of bits will cause a video image to freeze for a frame or two, while longer interruptions will cause reception to blank. Whereas a short loss in video is a couple of frozen frames, data loss in audio may leave a glaring blank. Therefore, a satellite system for transmission of movies and/or music preferably should include a method to detect and fix data losses at the receiver.

Patching data "potholes" requires a method for sensing potholes and another for placing "asphalt" to fill them. Typically, digital data is sent in packets of bits (perhaps one thousand bits at a time with each packet containing 1/40 second of music). Loss of bits within a packet can be detected by error codes or merely a "checksum" at the end of the packet which indicates the sum of all the sent bits. Each packet may have an identifying number so that loss of an entire packet is noticed. This is all conventional Internet technology.

Repairing data loss might be accomplished by replacing an occasional packet by the receiver asking for a copy of the packet via an Internet or modem phone

connection. However, the frequency of data loss and amount of contiguous data might be lost (for instance, during a rainstorm), requires a wider bandwidth, like the satellite, to provide the material to repair data loss.

5           Therefore, in certain embodiments, the present invention provides the capability in the system to detect bit losses and receive a second copy of the selection and use all or part of that copy to patch the missing or corrupted bits or packets in the original download. This  
10 would require storing a requested download on the storage medium (e.g., hard drive), checking for missing data, informing the customer that the download was imperfect, then receiving and storing all or part of a second (or rarely a third) transmission, and then selecting good packets of bits  
15 to make up the final copy.

          In practice, a customer selects a movie or music selection via the TV-remote interface and the TV screen notes a download, say, 45 minutes later. As soon as the download is completed, the customer is informed of the  
20 quality of the download (A, B, C, D) and informed of the time of the next transmission of the material. The customer has the option of viewing the less-than-perfect movie, or even burn a CD if they wish. Or the customer can wait for a better version.

25           While the present invention has been described in connection with certain illustrated embodiments, it will be



appreciated that modifications may be made without departing from the true spirit and scope of the invention. For example, the term "video display device" has been used herein in its broadest sense to refer to any suitable video imaging system, such as a television, computer monitor, plasma screen, LED display, liquid crystal display, 3D imaging system, or the like, understanding that an appropriate audio capability is provided. Also, while a DVD RAM platter system has been described as one preferred recording and playback device, both at real time and time-compressed transmission speeds and write speeds to the discs, other systems may be used, alone or in combination, such as magneto-optical disc, digital tape, VHS tape, a central or auxiliary server (optical, magnetic or magneto-optical). The discrete storage media of any one of these alternative devices may be arranged in a platter or stack or other suitable format to provide the user access to multiple stored audio/video content stored thereon. These and other modifications are deemed to be within the true spirit and scope of the invention.

**That Which is Claimed**

1. A method of distributing movies and music to customer households comprising the steps of:

blanket transmitting a plurality of movies  
and music selections to customer households;

permitting each customer household to  
preselect and record desired movies and music selections;

permitting each customer household to  
playback for viewing any preselected, recorded movie;

communicating movie playback information and  
music selection recording information from each customer  
household to a central controller system; and

billing customer households for music  
selections that are recorded and for only those preselected,  
recorded movies that are actually played back for viewing.

2. The method of claim 1 including the step of  
encoding the transmitted movies with data permitting  
playback only on a playback device with compatible decoding  
means.

3. The method of claim 1 wherein the customer  
household records music selections on conventional compact  
discs (CD's) so that the recordings may be played back on  
conventional home or auto CD playback devices.

4. The method of claim 1 including the step of  
utilizing the movie playback information and music selection  
recording information communicated to the controller system  
to credit the accounts of the content providers who provide

movies for distribution and the music licensors who provide music selections for distribution.

5        5.    The method of claim 1 wherein the step of blanket transmitting movies and music to customer households is carried out by a transmission mode selected from the group consisting of direct broadcast satellite, optical fiber, cable modem and the Internet.

10       6.    The method of claim 1 wherein the step of blanket transmitting is carried out by direct broadcast satellite transmission on multiple channels.

15       7.    The method of claim 1 wherein the step of blanket transmitting is carried out by transmitting at least a portion of the movies in compressed-time format.

20       8.    The method of claim 7 wherein the transmission in compressed-time format is carried out by a data transmission means selected from the group consisting of direct broadcast satellite, optical fiber, cable modem, or combination thereof.

25       9.    The method of claim 7 wherein the customer household records movies that are transmitted in compressed-time format at a write speed faster than real time.

      10.    The method of claim 9 wherein both the compressed time transmission and write speeds are eight to ten times real time or faster.

25       11.    The method of claim 7 wherein the movies transmitted in compressed-time format are transmitted and

recorded in the customer household at a resolution on the order of VHS resolution.

12. The method of claim 7 wherein the movies transmitted in compressed-time format are recorded in the customer household on a magneto-optical device at a write speed on the order of 12 megabits/sec or greater.

5

13. A system for distributing movies to customer households, comprising:

a direct broadcast satellite (DBS) data transmission system blanket transmitting a plurality of encoded movies to customer households at a data transmission rate faster than real time;

a user station at each customer household, the user station including means permitting the customer household to preselect desired transmitted movies for recording;

a receiver and associated recording device at each customer household for recording preselected movies at a write speed faster than real time;

a playback device at each customer household for playing back those preselected, recorded movies that the customer household desires to view;

a central controller system having a database for storing therein an address corresponding to each customer household;

a communications link between each customer household and the central controller system to verify to the controller system that a preselected, recorded movie has been played back for viewing; and

a billing system associated with the central controller system to bill customer households for only those preselected, recorded movies that are played back for viewing.

14. The system of claim 13 wherein the recording device at the customer household has a write speed capability on the order of 12 megabits/sec or greater.

5 15. The system of claim 14 wherein the recording device at the customer household comprises a magneto-optical device.

10 16. The system of claim 13 wherein the recording device at the customer household has a write speed capable of recording movies at VHS resolution at eight to ten times real time or faster.

15 17. The system of claim 13 wherein during prime time viewing hours at least certain high demand movies are each transmitted at short intervals at eight to ten times real time or faster, so that a high demand movie may be available for viewing within no more than the interval time plus a transmission/recording time on the order of 11 to 14 minutes or less.

20 18. The system of claim 13 wherein the user station includes a memory buffer for processing preselected movie data before it is recorded at the customer household.

19. The system of claim 18 wherein the memory buffer includes a drive selected from the group consisting of magnetic drive, optical drive and magneto-optical drive.

20. A system for distributing movies and music to customer households, comprising:

a data transmission system blanket transmitting a plurality of music selections and encoded movies to customer households;

a user station at each customer household, the user station including means permitting the customer household to preselect desired transmitted movies and music selections for recording;

a receiver and associated recording means at each customer household for recording preselected movies and music selections;

a playback device at each customer household for playing back those preselected, recorded movies that the customer household desires to view;

a central controller system having a database for storing therein an address corresponding to each customer household;

a communications link between each customer household and the central controller system to verify to the controller system when a preselected music selection has been recorded and when a preselected, recorded movie has been played back for viewing; and

a billing system associated with the central controller system to bill customer households for music selections that are recorded and for only those preselected, recorded movies that are played back for viewing.

## VIDEO DISTRIBUTION SYSTEM

### Abstract of the Disclosure

The invention relates to video distribution systems and, more particularly, to a system that blanket transmits video/audio content such as movies (for example, via satellite downlink transmission) to each customer's computer-based recording, storage and playback system. Customers preselect from a list of available movies or other content in advance using an interactive screen selector, and pay for only the video/audio content that is actually viewed.

-----



Downloaded from www.scribd.com




FIG. 1







FIG. 2A



Menu selection  
Press twice to preselect  
program when located

FIG. 3




FIG. 4

☐ Programs Recorded

☐ Available Movies

1. New Releases

☐ Comedy

☐ Drama

☐ Action

☐ Documentary

2. Classics

☐

☐

↓

100

FIG.5

SLOT	PROGRAM
1	Blank Disc
2	"Return of the Jedi"
3	No Disc
4	"To Sir with Love"
5	Blank Disc
6	"Sleepless in Seattle"
7	"Dave"
8	Blank Disc
9	No Disc
10	"True Grit"

110

FIG.6

New Releases/Comedy (20 Titles)			
1	Title #1	120 mins.	PG
2	Title #2	98 mins.	R
3	Title #3	102 mins.	PG-13
4	Title #4	108 mins.	PG
5	↓	↓	
6			
7			
8	↓	↓	

120

FIG.7

## LEVEL I TIME-BASED SECURITY CODES

A	B	C
One 32 bit code in each movie header X 12 months X 100 years = 1200 32 bit codes.	One 32 bit code for each month chosen at the beginning of each month and transmitted by DBS.	One 32 bit code delivered each month by phone/ modem with billing query from central controller system. C provided only when customer is in good standing.

FIG. 8




FIG. 9







FIG. 10



Step	Mode Name	Description	Hardware Involved
	Account Setup	Happens when customer buys and hooks up The user station.	
1	Selection	Customer looks at recently updated "catalog" of available movie selections on his TV using the graphical user interface. Use remote to page through information.	User station, remote, customer TV, stored catalog
2	Ordering	Customer uses user station, remote and TV screen to order	User station, remote, customer TV
3	Downloading	Movies are downloaded during transmission hours as encrypted, compressed files through customer's satellite dish to hard disk in user station.	User station, satellite receiver
4	Viewing	Customer plays movie directly from hard drive with decryption/decompressing in real time.	User station, customer TV and speakers
5	Billing	Customer's account billed later by modem or Internet communication with central controller.	User station
6	Optional "Library" Movie Delivery	Full-quality movie on selected medium (e.g. DVD) that can be played on any DVD player is burned with watermark.	User station, DVD burner

Fig. 12

Downloaded by [illegible]

SELECT MOVIE TYPE PREFERENCES	
Action	Documentaries
Romantic Comedy	Foreign Language
Science Fiction	Musicals
Combat	Westerns
Animated	Political
Family (G)	Suspense

Fig. 13

SECOND LEVEL MOVIE PREFERENCES			
Favorite Movie Stars (Male)	Favorite Movie Stars (Female)	Favorite Directors	Preferred Rating(s)
Mel Gibson Tom Hanks ↓	Julia Roberts Meg Ryan ↓	George Lucas John Doe ↓	G PG PG-13 R X

Fig. 14





Fig. 15

# Promotion-based Streaming



- ✓ 1/4 of a Transponder
- ✓ Promotional movie can be sent to all or targeted users that will likely buy.
- ✓ Customers are informed when they have NEW movies - each time they surf channels.
- ✓ Sound Track Promotions can also be coordinated with movie schedules
- ✓ Download time is instantaneous

Fig. 16